| | | | 414112 | U.S. C | Patent and Trademark Office | | | |
|------------------------------|--|-----------------|---|--------------------|-----------------------------|--|--|--|
| SARCH REQUEST FORM | | | | | | | | |
| SANOU NEGOES! LOUM | | | | | | | | |
| Requestor's Name: | BEALT OF | 53.9¥ | Serial Number: | 09/55 | 5949 | | | |
| Date: | 5/1/01 | Phone: | 4718 | Art Unit: | 1624 | | | |
| | | | | | UDIT | | | |
| terms that may | detailed statement of search have a special meaning. G copy of the sequence. You | ive examples or | relevent citations, authors, | keywords; etc., if | known. For sequences, | | | |
| P-N-6 | \$ Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q |) N. | 5 |](CH= | (H),-5 | | | |
| | 1=001 X=N/c | Te CN | Point of Contact: Mary Hale schnical Info. Special 112D16 Tel: 308-42 | ist 25 8 | ols King | | | |
| | X=NIC Q=NIC | | M | ARY | . | | | |
| | | | 11. | | <i>p</i> | | | |
| | | STAI | FF USE ONLY | <u> </u> | | | | |
| Date complete | d: 5/2 | | Search Site | . Ve | ndors | | | |
| Searcher: | Mary | | STIC | - = | IG . | | | |
| Terminal time: | | <u> </u> | CM-1 | . 21 | / <u>.8∂</u> stn | | | |
| Elapsed time: | | | Pre-S | | Dialog | | | |
| CPU time: | | | Type of Search N.A. Sequence | <u> </u> | APS Geninfo | | | |
| Total time: Number of Sea | | | A.A. Sequence | | SDC | | | |
| Number of Da | | | 2) Structure | · | DARC/Questel | | | |

Bibliographic

Other

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.


This file supports REG1stRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

L7 0 L6

=> del his y

Bereh 555949

=> d 16 que stat;d 1-2 ide cbib abs L4 STR



6. 14

CH=CH 029 030

VAR G2=C/N REP G3=(0-1) 29-12 30-25 VAR G4=O/S NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 31

STEREO ATTRIBUTÉS: NONE

L6 2 SEA FILE=REGISTRY SSS FUL L4

100.0% PROCESSED 6 ITERATIONS SEARCH TIME: 00.00.02 2 ANSWERS

L6 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2001 ACS RN 229016-74-4 REGISTRY

CN Pyridinium, 4-[2-[[(6R,7R)-2-carboxy-7-[[(2Z)-[(fluoromethoxy)imino][5-(phosphonoamino)-1,2,4-thiadiazol-3-yl]acetyl]amino]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]thio]-4-thiazolyl]-1-methyl-, inner salt (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C21 H18 F N8 O8 P S4

SR CA

LC STN Files: CA, CAPLUS

Absolute stereochemistry. Double bond geometry as shown.

- 1 REFERENCES IN FILE CA (1967 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 131:73504 Preparation of phosphonocephem derivatives and their use. Ishikawa, Tomoyasu; Hashiguchi, Shohei; Iizawa, Yuji (Takeda Chemical Industries, Ltd., Japan). PCT Int. Appl. WO 9932497 A1 19990701,

50 pp. DESIGNATED STATES: W: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN,

CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (Japanese). CODEN: PIXXD2. APPLICATION: WO 1998-JP5709 19981217. PRIORITY: JP 1997-351499 19971219.

GI

- AB Title compds. I [R1 = (un)protected phosphono, phosphono deriv.; R2 = H, (un)substituted alkyl, cycloalkyl, etc.; one of R3 and R4 is (un)substituted pyridinium and the other is H or (un)substituted hydrocarbyl, or R3X1R4 = part of a quaternized (un)substituted N-contg. heterocycle; Q, X = N, CH; Y = S, O, CH2; n = 0, 1], useful for treatment of infectious diseases (no data), are prepd. Thus,
- 7.beta.-amino-3-[4-(1-methyl-4-pyridinio)-2-thiazolylthio]-3-cephem-4-carboxylate HCl reacted with 2-(5-dichlorophosphorylamino-1,2,4-thiadiazol-3-yl)-2(Z)-ethoxyiminoacetyl chloride in water-THF contg. NaHCO3 (pH 7.4) to give 7.beta.-[2(Z)-ethoxyimino-2-(5-phosphonoamino-1,2,4-thiadiazol-3-yl)acetamido]-3-[4-(1-methyl-4-pyridinio)-2-thiazolylthio]-3-cephem-4-carboxylate.
- L6 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2001 ACS
- RN 229016-73-3 REGISTRY
- CN Pyridinium, 4-[2-[[(6R,7R)-2-carboxy-7-[[(2Z)-(ethoxyimino)[5-(phosphonoamino)-1,2,4-thiadiazol-3-yl]acetyl]amino]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-en-3-yl]thio]-4-thiazolyl]-1-methyl-, inner salt (9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C22 H21 N8 O8 P S4
- SR CA
- LC STN Files: CA, CAPLUS

Absolute stereochemistry. Double bond geometry as shown.

- 1 REFERENCES IN FILE CA (1967 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 131:73504 Preparation of phosphonocephem derivatives and their use. Ishikawa, Tomoyasu; Hashiguchi, Shohei; Iizawa, Yuji (Takeda Chemical Industries, Ltd., Japan). PCT Int. Appl. WO 9932497 A1 19990701,

50 pp. DESIGNATED STATES: W: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN,

CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (Japanese). CODEN: PIXXD2. APPLICATION: WO 1998-JP5709 19981217. PRIORITY: JP 1997-351499 19971219.

GΙ

AB Title compds. I [R1 = (un)protected phosphono, phosphono deriv.; R2 = H, (un)substituted alkyl, cycloalkyl, etc.; one of R3 and R4 is (un)substituted pyridinium and the other is H or (un)substituted hydrocarbyl, or R3X1R4 = part of a quaternized (un)substituted N-contg. heterocycle; Q, X = N, CH; Y = S, O, CH2; n = 0, 1], useful for treatment of infectious diseases (no data), are prepd. Thus,

7.beta.-amino-3-[4-(1-methyl-4-pyridinio)-2-thiazolylthio]-3-cephem-4-carboxylate HCl reacted with 2-(5-dichlorophosphorylamino-1,2,4-thiadiazol-3-yl)-2(Z)-ethoxyiminoacetyl chloride in water-THF contg. NaHCO3 (pH 7.4) to give 7.beta.-[2(Z)-ethoxyimino-2-(5-phosphonoamino-1,2,4-thiadiazol-3-yl)acetamido]-3-[4-(1-methyl-4-pyridinio)-2-thiazolylthio]-3-cephem-4-carboxylate.

=> fil caol;s 16

| COST IN U.S. DOLLARS | SINCE FILE ENTRY | TOTAL SESSION |
|--|---------------------|------------------|
| FULL ESTIMATED COST | 277.36 | 277.51 |
| DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) | SINCE FILE ENTRY | TOTAL SESSION |
| CA SUBSCRIBER PRICE | -1.12 | -1.12 |

FILE 'CAOLD' ENTERED AT 11:41:54 ON 02 MAY 2001 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)